

SPORT FLOORING

SIZE: 1.8M X 20M



SENTIASA TERMURAH



SGS



Badminton Court



Basketball Court



100% RECYCLABLE
25% RECYCLED



KOLEKSI
**ESD
FLOORING**

SENTIASA TERMURAH

CARPET PRIMA NILAI 3

WHATSAPP : [HTTP://WA.ME/601111111116](http://wa.me/601111111116)

LOKASI : [HTTPS://MAPS.APP.GOO.GL/S49MPIKKRBMTV](https://maps.app.goo.gl/S49MPIKKRBMTV)
GOOGLE [VP58?G_ST=IWB](https://maps.app.goo.gl/S49MPIKKRBMTV)

WAZE : [HTTPS://WAZE.COM/UL/HW282HXPTB](https://waze.com/ul/HW282HXPTB)

ADDRESS : PT 24335, PT24336 & PT 24380, UTAMA
ENTERPRISE PARK, KAWASAN PERINDUSTRIAN
NILAI 3, 71800 NILAI, NEGERI SEMBILAN.

WAKTU : SHOWROOM (9.00 AM - 11.00 PM)
OPERASI : BUKA SETIAP HARI TERMASUK CUTI UMUM.

INDEX

WOOD SPORT FLOORING

PAGE 4	THICKNESS	4.5MM / 6.5MM	
	WARRANTY	15 YEARS	
	SIZE ROLL	1.8M X 20M	
	WEAR LAYER	2MM	
	PRICE / SQFT	4.5 MM	RM 3.86 / SQFT
		6.5 MM	RM 5.80 / SQFT
	PRICE / ROLL	4.5 MM	RM 1,495 / ROLL
		6.5 MM	RM 2,246 / ROLL

PLAY SPORT FLOORING

PAGE 5	THICKNESS	4.5MM / 6.5MM	
	WARRANTY	15 YEARS	
	SIZE ROLL	1.8M X 20M	
	WEAR LAYER	2MM	
	PRICE / SQFT	4.5 MM	RM 3.28 / SQFT
		6.5 MM	RM 4.92 / SQFT
	PRICE / ROLL	4.5 MM	RM 1,269 / ROLL
		6.5 MM	RM 1,900 / ROLL



SGS



SENTIASA TERMURAH


WOOD SPORT FLOORING




SIZE: 1.8M X 20M




MAPLE W620



OAK W620



BLUE W23



ASH W620

4MM

RM **3.86**
/ SQFT

RM **1,495**
/ ROLL

6.5MM

RM **5.80**
/ SQFT

RM **2,246**
/ ROLL

> Product Specifications

Product Type	Flooring
Thickness	4.5mm / 6.5mm

Width	Flooring 1.8m
Roll Length	20m



100% RECYCLABLE
25% RECYCLED





SGS



SENTIASA TERMURAH

PLAY SPORT FLOORING

SIZE: 1.8M X 20M



RED



BLUE



GREY




ORANGE



GREEN




YELLOW




WHITE




TURQUOISE



PURPLE



BLACK



DARK BLUE

4MM

RM **3.28**
/ SQFT

RM **1,269**
/ ROLL

6.5MM

RM **4.92**
/ SQFT

RM **1,900**
/ ROLL

> Product Specifications

Product Type	Flooring
Thickness	4.5mm / 6.5mm
Width	Flooring 1.8m
Roll Length	20m



100% RECYCLABLE
25% RECYCLED





SGS



SENTIASA TERMURAH

SPORT FLOORING

SIZE: 1.8M X 20M



DESCRIPTION	STANDARD	RESULT
Total thickness	GB/T 11982.1-2015	6.5 mm
Width of sheet	GB/T 11982.1-2015	2m
Length of sheet	GB/T 11982.1-2015	20 m
SPORT CHARACTERISTICS	STANDARD	RESULT
Hardness	-	120 (HD)
Rebound values	-	9%
Shock absorption	DIN 18032	≥ 28
Friction coefficient	DIN 18032	0.45
Ball bounce	DIN 18032	≥ 97
TECHNICAL CHARACTERISTICS	STANDARD	RESULT
Indentation resistance	DIN 1516	≤ 0.6 mm
Abrasion resistance	EN ISO5470-1	≤ 300 mg
Impact resistance	DIN 18032	≥ 8 N/M
Sound Insulation	EN ISO707-2	19dB
Surface treatment	Resistance to staining	Easy to maintain and care
CHEMICAL DETECTION	STANDARD	RESULT
Volatile content	≤ 35	5.28 g/m ²
Vinyl chloride monomer	≤ 5	0.43 mg/kg
Soluble pb limit	≤ 20	0.526 mg/m ²
		
Fire Retardant	Low Maintenance	Coated Layer Surface
		
Heat Resistant	Slip Resistant	Chemical Resistant
		
Recyclable	Abrasion Resistant	



100% RECYCLABLE
25% RECYCLED

